WORLD INTELLECTUAL PROPERT



(51) International Patent Classification ⁶ : B65D	A2	(11) International Publication Number: WO 96/05110 (43) International Publication Date: 22 February 1996 (22.02.96)
(21) International Application Number: PCT/U	\$95/097	
(22) International Filing Date: 1 August 1995	(01.08.9	CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, IP, KE, KG, KP, KR, KZ, LK, LT, LU, LV, MD, MG, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ,
(30) Priority Data: 08/284,893 2 August 1994 (02.08.94)	ι	TT, UA, UG, UZ, VN, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, MI, MR, NF

(71) Applicant: CONTINENTAL PLASTIC CONTAINERS, INC. [US/US]; 310 Merritt 7 Corporate Park, P.O. Box 5410, Norwalk, CT 06856 (US).

(72) Inventor: FEHN, Gregory, M.; 930 Lakewood Drive, Barrington, IL 60010 (US).

(74) Agent: DVORAK, George, F.; Dvorak and Traub, 53 West Jackson Boulevard, Chicago, IL 60604 (US).

SN, TD, TG), ARIPO patent (KE, MW, SD, SZ, UG).

Published

Without international search report and to be republished upon receipt of that report.

(54) Title: CONTAINER WITH RECYCLED PLASTIC

(57) Abstract

A container incorporating post-consumer recycled ("PCR") plastic and a method of making that type of container. The container utilizes a layer of polypropylene or EVOH or a film of fluorinated polyethylene toward the interior from the recycled plastic to prevent contaminants from the latter entering the container's contents. When utilizing EVOH, the container usually has an additional layer of polyethykne or polypropylene covering the EVOH to prevent its deterioration by moisture. Making the container involves first composing a resin including the recycled plastic. Forming the various layers listed above produces a container that includes recycled plastic and a barrier to limit the migration of contaminants from the recycled material to the container's contents. This permits the use of the resulting containers for food. For a fluorinated polyethylene film, fluorination can occur either during or after the container's formation.

